


Assembly Instructions

D


Step 1:

Square Top using specified hardware. Attach the Extension Tabs to the 46"



Step 2:

Attach the 358 Legs to the Extension Tabs using specified Hardware



Step 3:

仐


5


Step 4:

Attach the Cross-brace between the table legs as shown using the specified hardware.

3

Attach the 3' Seats to the 358 Legs using specified hardware.





Page 2 of 3 OCC Outdoors Products PH: 1-800-821-7670 EMAIL - occcontact@occoutdoors.com Fax: 1-317-862-9422 Part #: OCC-358H-OV

В

D

D


OCC Outdoors Thermoplastic Finish Properties



OCC Outdoors Thermoplastic Colors and Finish Properties

- Superior Adhesion
- · Resistance to Cutting and Vandalism
 - · No Runs or Drips
- Smooth Finish Prevents Mold and Mildew
- · Easily Repaired
 - · UV Protection
- · Environmentally Friendly

OCC Outdoors Powder Coat Finish Properties



仐

OCC Outdoors 5 Layer Powder Coat Properties

- · Uniform coating
- Durability
- · High-quality
- Attractive finish

OCC Outdoors Powder Coat Colors and Finish



The process provides layers of protection from

by applying a superior powder coat finish.

harmful environmental elements with very

little maintenance.

coatings. OCC further enhances the durability

one of the industry's most durable protective

Outdoors Powder Coat producs line delivers

The steel framework used in the OCC

Page 3 of 3 OCC Outdoors Products PH: 1-800-821-7670 EMAIL - occcontact@occoutdoors.com Fax: 1-317-862-9422 D